

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 11/27/2024 Version: 7.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product form Trade name UFI	: Mixture : ECO-UV, EUV-MG Ver.2 : R8QE-VWDD-UDKN-KQ2Q	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Relevant identified uses		
Main use category	: Professional use	
Function or use category	: Inkjet Printing ink	
1.3. Details of the supplier of the safety data sheet		
Manufacturer	Supplier	

Roland DG Corporation 1-1-2 Shinmiyakoda, Hamana-ku, Hamamatsu-shi,Shizuoka-ken, 431-2103 Japan 〒431-2103 Supplier Roland DG EMEA N.V. Bell Telephonelaan 2G, 2440 Geel, Belgium T +32 (0) 14 57 59 11 deu-demand-planning@rolanddg.com

#### T +81-53-484-1200

# 1.4. Emergency telephone number

Country/Area	Organisation/Company	Emergency number	Comment
Ireland	Poisons Information Centre of Ireland	+353 18 37 99 64 (medical professionals) +353 18 09 21 66 (public)	
Malta	Malta Competition and Consumer Affairs Authority (MCCAA)	+356 2395 2000 1774 helpline for accidental poisoning	
United Kingdom	Emergency number England	999 NHS 111	or call a doctor

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]		
Acute toxicity (oral), Category 4	H302	
Acute toxicity (inhalation:dust,mist) Category 4	H332	
Skin corrosion/irritation, Category 1, Sub-Category 1C	H314	
Serious eye damage/eye irritation, Category 1	H318	
Skin sensitisation, Category 1	H317	
Germ cell mutagenicity, Category 2	H341	
Reproductive toxicity, Category 1B	H360	
Specific target organ toxicity - Repeated exposure, Category 1	H372	



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment – Chronic Hazard, H410 Category 1

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Suspected of causing genetic defects. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Harmful if inhaled. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

GHS05 GHS07 GHS08 GHS09 : Danger	
<ul> <li>2-Propenoic acid, phenylmethyl ester; 2-Propenoic acid, 2-methoxyethyl ester; 2-Propenoic acid, 1,6-hexanediyl ester; N-VINYL CAPROLACTAM; 2-Propenoic acid, (1R,2R,4R)-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, rel-; Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-</li> </ul>	
<ul> <li>H302+H332 - Harmful if swallowed or if inhaled.</li> <li>H314 - Causes severe skin burns and eye damage.</li> <li>H317 - May cause an allergic skin reaction.</li> <li>H341 - Suspected of causing genetic defects.</li> <li>H360 - May damage fertility or the unborn child.</li> <li>H372 - Causes damage to organs through prolonged or repeated exposure.</li> <li>H410 - Very toxic to aquatic life with long lasting effects.</li> </ul>	
<ul> <li>P201 - Obtain special instructions before use.</li> <li>P202 - Do not handle until all safety precautions have been read and understood.</li> <li>P260 - Do not breathe dust/fume/gas/mist/vapours/spray.</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P270 - Do not eat, drink or smoke when using this product.</li> <li>P271 - Use only outdoors or in a well-ventilated area.</li> </ul>	
<ul> <li>Restricted to professional users.</li> <li>For professional users only.</li> </ul>	

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Propenoic acid, phenylmethyl ester	CAS-No.: 2495-35-4 EC-No.: 219-673-9 REACH-no: 01-2120772339- 44	20 – 30	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
2-Propenoic acid, 2-methoxyethyl ester	CAS-No.: 3121-61-7 EC-No.: 221-499-3 EC Index-No.: 607-744-00-0 REACH-no: 01-2119962915- 25	20 – 24	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 (ATE=401 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=2.7 mg/l/4h) Acute Tox. 3 (Inhalation:vapour), H331 (ATE=2.7 mg/l/4h) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360FD EUH071
N-VINYL CAPROLACTAM	CAS-No.: 2235-00-9 EC-No.: 218-787-6 REACH-no: 01-2119977109- 27	10 – 20	Acute Tox. 4 (Oral), H302 (ATE=1114 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1700 mg/kg bodyweight) Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 1, H372
2-Propenoic acid, (1R,2R,4R)-1,7,7- trimethylbicyclo[2.2.1]hept-2-yl ester, rel-	CAS-No.: 5888-33-5 EC-No.: 227-561-6 EC Index-No.: 607-756-00-6 REACH-no: 01-2119957862- 25	10 – 20	Skin Sens. 1A, H317
Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)- substance listed as REACH Candidate	CAS-No.: 75980-60-8 EC-No.: 278-355-8 EC Index-No.: 015-203-00-X REACH-no: 01-2119972295- 29	5 – 15	Skin Sens. 1, H317 Repr. 1B, H360
2-Propenoic acid, 1,6-hexanediyl ester	CAS-No.: 13048-33-4 EC-No.: 235-921-9 EC Index-No.: 607-109-00-8 REACH-no: 01-2119484737- 22	5 – 10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Additives	-	1 – 5	Not classified

Full text of H- and EUH-statements: see section 16



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	<ul> <li>Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.</li> </ul>
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
First-aid measures for first aider	: First aid workers will be equipped with suitable personal protective equipment.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.
Chronic symptoms	: May damage fertility or the unborn child.
4.3. Indication of any immediate medi	cal attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Water spray. Dry powder. Foam. Carbon dioxide.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Explosion hazard Hazardous decomposition products in case of fire	<ul><li>No direct explosion hazard.</li><li>Toxic fumes may be released.</li></ul>	
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting	<ul> <li>Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.</li> </ul>	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protectiv	e equipment and emergency procedures	
General measures	: Stop leak if safe to do so. Absorb spillage to prevent material damage.	
For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Emergency procedures	: Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapours/spray.
For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	ainment and cleaning up
For containment	: Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

# 6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and stor	age
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Obtain special instructions before use. Do not handle until all safety precautions have bee read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.</li> <li>Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, in	ncluding any incompatibilities
Technical measures Storage conditions Packaging materials	<ul> <li>Keep in a cool, well-ventilated place away from heat.</li> <li>Store locked up.</li> <li>Store always product in container of same material as original container.</li> </ul>
7.3. Specific end use(s)	

Inkjet Printing ink.



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# SECTION 8: Exposure controls/personal protection

8.1. Control parameters

# **DNEL and PNEC**

2-Propenoic acid, 2-methoxyethyl ester (3121-61-7)

DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	0.042 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0.12 mg/m <sup>3</sup>	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.017 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0.029 mg/m <sup>3</sup>	
Long-term - systemic effects, dermal	0.021 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.0019 mg/l	
PNEC aqua (marine water)	0.00019 mg/l	
PNEC aqua (intermittent, freshwater)	0.045 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.0104 mg/kg dwt	
PNEC sediment (marine water)	0.001 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.0049 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	10 mg/l	
2-Propenoic acid, 1,6-hexanediyl ester (13048-33-4)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	2.77 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	24.5 mg/m <sup>3</sup>	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	2.1 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	7.2 mg/m <sup>3</sup>	
Long-term - systemic effects, dermal	1.66 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.00723 mg/l	
PNEC aqua (marine water)	0.000723 mg/l	



# Safety Data Sheet

2-Propenoic acid, 1,6-hexanediyl ester (1304	3-33-4)	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.493 mg/kg dwt	
PNEC sediment (marine water)	0.0493 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.094 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	2.7 mg/l	
N-VINYL CAPROLACTAM (2235-00-9)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	0.7 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	4.9 mg/m <sup>3</sup>	
Long-term - local effects, inhalation	0.17 mg/m <sup>3</sup>	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.4 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1.04 mg/m <sup>3</sup>	
Long-term - systemic effects, dermal	0.42 mg/kg bodyweight/day	
Long-term - local effects, inhalation	0.04 mg/m <sup>3</sup>	
2-Propenoic acid, (1R,2R,4R)-1,7,7-trimethylb	nicyclo[2.2.1]hept-2-yl ester, rel- (5888-33-5)	
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	1.39 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	4.9 mg/m <sup>3</sup>	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.83 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1.45 mg/m <sup>3</sup>	
Long-term - systemic effects, dermal	0.83 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.00092 mg/l	
PNEC aqua (marine water)	0.000092 mg/l	
PNEC aqua (intermittent, freshwater)	0.00704 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.145 mg/kg dwt	
PNEC sediment (marine water)	0.0145 mg/kg dwt	



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

PNEC soil       0.0285 mg/kg dwt         PNEC (STP)       2 mg/l         PNecsewage treatment plant       2 mg/l         Phosphine oxide, diphenyl(2,4,6-trimethylbenzvyl)- (75980-60-8)       DNEL/DMEL (Workers)         Long-term - systemic effects, dermal       0.233 mg/kg bodyweight/day         Long-term - systemic effects, inhalation       0.822 mg/m³         DNEL/DMEL (General population)       83.3 µg/kg bodyweight/day         Long-term - systemic effects, inhalation       0.145 mg/m³         Dong-term - systemic effects, inhalation       0.145 mg/m³         Long-term - systemic effects, dermal       83.3 µg/kg bodyweight/day         Long-term - systemic effects, dermal       83.3 µg/kg bodyweight/day         PNEC (Water)       0.145 mg/m³         PNEC (Qua (freshwater))       1.4 µg/l         PNEC aqua (intermittent, freshwater)       1.4 µg/l         PNEC aqua (intermittent, freshwater)       1.4 µg/l         PNEC aqua (intermittent, marine water)       1.4 µg/l         PNEC (Sediment)       0.115 mg/kg dwt         PNEC sediment (freshwater)       0.115 mg/kg dwt         PNEC Sediment (marine water)       1.5 µg/kg dw	2-Propenoic acid, (1R,2R,4R)-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, rel- (5888-33-5)		
PNEC (STP) PNEC sewage treatment plant 2 mg/ Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)- (75980-60-8) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.233 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0.822 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, inhalation 0.145 mg/m3 Long-term - systemic effects, dermal 83.3 µg/kg bodyweight/day Long-term - systemic effects, inhalation 0.145 mg/m3 PNEC (Water) PNEC aqua (freshwater) 1.4 µg/l PNEC aqua (intermittent, freshwater) 14 µg/l PNEC aqua (intermittent, freshwater) 14 µg/l PNEC aqua (intermittent, marine water) 1.4 µg/l PNEC agua (intermittent, marine water) 1.4 µg/l PNEC sediment (freshwater) 0.115 mg/kg dwt PNEC sediment (freshwater) 1.5 µg/kg dw PNEC (Soil)	PNEC (Soil)		
PNEC sewage treatment plant 2 mg/l Phosphine oxide, diphenyl(2,4,6-trimethylberz⊽I)- (75980-60-8) DNEL/DMEL (Workers) Long-term - systemic effects, dermal 0.233 mg/kg bodyweight/day Long-term - systemic effects, inhalation 0.822 mg/m³ DNEL/DMEL (General population) Long-term - systemic effects, oral 83.3 µg/kg bodyweight/day Long-term - systemic effects, inhalation 0.145 mg/m³ Long-term - systemic effects, dermal 83.3 µg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 1.4 µg/l PNEC aqua (intermittent, freshwater) 1.4 µg/l PNEC aqua (intermittent, marine water) 1.4 µg/l PNEC sediment) PNEC sediment (freshwater) 0.115 mg/kg dwt PNEC (Sediment) PNEC sediment (marine water) 1.5 µg/kg dw	PNEC soil	0.0285 mg/kg dwt	
Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)- (75980-60-8)         DNEL/DMEL (Workers)         Long-term - systemic effects, dermal       0.233 mg/kg bodyweight/day         Long-term - systemic effects, inhalation       0.822 mg/m³         DNEL/DMEL (General population)       0.00000000000000000000000000000000000	PNEC (STP)		
DNEL/DMEL (Workers)       0.233 mg/kg bodyweight/day         Long-term - systemic effects, inhalation       0.822 mg/m³         DNEL/DMEL (General population)       0.822 mg/m³         DNet/DMEL (General population)       83.3 µg/kg bodyweight/day         Long-term - systemic effects, oral       83.3 µg/kg bodyweight/day         Long-term - systemic effects, inhalation       0.145 mg/m³         Long-term - systemic effects, dermal       83.3 µg/kg bodyweight/day         PNEC (Water)       1.44 µg/l         PNEC aqua (freshwater)       1.4 µg/l         PNEC aqua (intermittent, freshwater)       1.4 µg/l         PNEC sediment (freshwater)       0.115 mg/kg dwt         PNEC sediment (marine water)       0.115 µg/kg dw         PNEC (Soil)       11.5 µg/kg dw	PNEC sewage treatment plant	2 mg/l	
Long-term - systemic effects, dermal0.233 mg/kg bodyweight/dayLong-term - systemic effects, inhalation0.822 mg/m³DNEL/DMEL (General population)Long-term - systemic effects, oral83.3 µg/kg bodyweight/dayLong-term - systemic effects, inhalation0.145 mg/m³Long-term - systemic effects, dermal83.3 µg/kg bodyweight/dayPNEC (Water)83.3 µg/kg bodyweight/dayPNEC aqua (freshwater)1.4 µg/lPNEC aqua (intermittent, freshwater)0.14 µg/lPNEC aqua (intermittent, freshwater)1.4 µg/lPNEC aqua (intermittent, marine water)1.4 µg/lPNEC sediment (freshwater)0.115 mg/kg dwtPNEC sediment (marine water)1.1.5 µg/kg dwPNEC sediment (marine water)1.1.5 µg/kg dw	Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)- (75980-60-8)		
Long-term - systemic effects, inhalation       0.822 mg/m³         DNEL/DMEL (General population)       83.3 µg/kg bodyweight/day         Long-term - systemic effects, oral       83.3 µg/kg bodyweight/day         Long-term - systemic effects, inhalation       0.145 mg/m³         Long-term - systemic effects, dermal       83.3 µg/kg bodyweight/day         PNEC (Water)       83.3 µg/kg bodyweight/day         PNEC aqua (freshwater)       1.4 µg/l         PNEC aqua (intermittent, freshwater)       0.14 µg/l         PNEC aqua (intermittent, freshwater)       1.4 µg/l         PNEC aqua (intermittent, marine water)       1.4 µg/l         PNEC Sediment (freshwater)       0.115 mg/kg dwt         PNEC sediment (marine water)       0.115 mg/kg dw         PNEC Sediment (marine water)       11.5 µg/kg dw	DNEL/DMEL (Workers)		
DNEL/DMEL (General population)         Long-term - systemic effects, oral       83.3 µg/kg bodyweight/day         Long-term - systemic effects, inhalation       0.145 mg/m <sup>3</sup> Long-term - systemic effects, dermal       83.3 µg/kg bodyweight/day         PNEC (Water)       83.3 µg/kg bodyweight/day         PNEC aqua (freshwater)       1.4 µg/l         PNEC aqua (marine water)       0.144 µg/l         PNEC aqua (intermittent, freshwater)       14 µg/l         PNEC aqua (intermittent, marine water)       1.4 µg/l         PNEC sediment (freshwater)       0.115 mg/kg dwt         PNEC sediment (marine water)       0.115 µg/kg dw	Long-term - systemic effects, dermal	0.233 mg/kg bodyweight/day	
Long-term - systemic effects, oral 83.3 µg/kg bodyweight/day Long-term - systemic effects, inhalation 0.145 mg/m <sup>3</sup> Long-term - systemic effects, dermal 83.3 µg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 1.4 µg/l PNEC aqua (marine water) 0.14 µg/l PNEC aqua (intermittent, freshwater) 14 µg/l PNEC aqua (intermittent, marine water) 1.4 µg/l PNEC aqua (intermittent, marine water) 1.4 µg/l PNEC sediment) PNEC (Sediment) PNEC sediment (freshwater) 0.115 mg/kg dwt PNEC (Soil)	Long-term - systemic effects, inhalation	0.822 mg/m³	
Long-term - systemic effects, inhalation       0.145 mg/m³         Long-term - systemic effects, dermal       83.3 µg/kg bodyweight/day         PNEC (Water)       1.4 µg/l         PNEC aqua (freshwater)       1.4 µg/l         PNEC aqua (marine water)       0.14 µg/l         PNEC aqua (intermittent, freshwater)       1.4 µg/l         PNEC aqua (intermittent, marine water)       1.4 µg/l         PNEC aqua (intermittent, marine water)       1.4 µg/l         PNEC (Sediment)       0.115 mg/kg dwt         PNEC sediment (marine water)       1.15 µg/kg dw         PNEC (Soil)	DNEL/DMEL (General population)		
Long-term - systemic effects, dermal 83.3 µg/kg bodyweight/day PNEC (Water) PNEC aqua (freshwater) 1.4 µg/l PNEC aqua (marine water) 0.14 µg/l PNEC aqua (intermittent, freshwater) 14 µg/l PNEC aqua (intermittent, marine water) 1.4 µg/l PNEC aqua (intermittent, marine water) 1.4 µg/l PNEC (Sediment) PNEC sediment (freshwater) 0.115 mg/kg dwt PNEC sediment (marine water) 11.5 µg/kg dw PNEC (Soil)	Long-term - systemic effects,oral	83.3 μg/kg bodyweight/day	
PNEC (Water)       1.4 μg/l         PNEC aqua (freshwater)       1.4 μg/l         PNEC aqua (marine water)       0.14 μg/l         PNEC aqua (intermittent, freshwater)       14 μg/l         PNEC aqua (intermittent, marine water)       1.4 μg/l         PNEC sediment)       1.4 μg/l         PNEC (Sediment)       0.115 mg/kg dwt         PNEC sediment (marine water)       11.5 μg/kg dw         PNEC (Soil)	Long-term - systemic effects, inhalation	0.145 mg/m³	
PNEC aqua (freshwater)       1.4 μg/l         PNEC aqua (marine water)       0.14 μg/l         PNEC aqua (intermittent, freshwater)       14 μg/l         PNEC aqua (intermittent, marine water)       1.4 μg/l         PNEC sediment)       0.115 mg/kg dwt         PNEC sediment (marine water)       11.5 μg/kg dw         PNEC (Soil)	Long-term - systemic effects, dermal	83.3 μg/kg bodyweight/day	
PNEC aqua (marine water) 0.14 µg/l PNEC aqua (intermittent, freshwater) 14 µg/l PNEC aqua (intermittent, marine water) 1.4 µg/l PNEC aqua (intermittent, marine water) 0.14 µg/l PNEC (Sediment) PNEC sediment (freshwater) 0.115 mg/kg dwt PNEC sediment (marine water) 11.5 µg/kg dw PNEC (Soil)	PNEC (Water)		
PNEC aqua (intermittent, freshwater)     14 μg/l       PNEC aqua (intermittent, marine water)     1.4 μg/l       PNEC (Sediment)     0.115 mg/kg dwt       PNEC sediment (marine water)     0.115 mg/kg dwt       PNEC sediment (marine water)     11.5 μg/kg dw	PNEC aqua (freshwater)	1.4 μg/l	
PNEC aqua (intermittent, marine water)     1.4 μg/l       PNEC (Sediment)     0.115 mg/kg dwt       PNEC sediment (freshwater)     0.115 mg/kg dwt       PNEC sediment (marine water)     11.5 μg/kg dw	PNEC aqua (marine water)	0.14 µg/l	
PNEC (Sediment)     0.115 mg/kg dwt       PNEC sediment (freshwater)     0.115 mg/kg dwt       PNEC sediment (marine water)     11.5 µg/kg dw	PNEC aqua (intermittent, freshwater)	14 μg/l	
PNEC sediment (freshwater)     0.115 mg/kg dwt       PNEC sediment (marine water)     11.5 μg/kg dw       PNEC (Soil)	PNEC aqua (intermittent, marine water)	1.4 µg/l	
PNEC (Soil)	PNEC (Sediment)		
PNEC (Soil)	PNEC sediment (freshwater)	0.115 mg/kg dwt	
	PNEC sediment (marine water)	11.5 µg/kg dw	
PNEC soil 22.2 µg/kg dw	PNEC (Soil)		
	PNEC soil	22.2 µg/kg dw	

# 8.2. Exposure controls

# Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Eye and face protection

#### Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear EN166 approved safety glasses or chemical splash goggles.



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### **Skin protection**

#### Skin and body protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

#### Hand protection:

Employee must wear appropriate protective impervious gloves to prevent contact with the ink. Recommended Chemical Protective Gloves are EN420/374 approved ethylene vinyl alcohol (EVOH) Gloves and Laminate gloves. Laminate gloves are made by cutting and then heat-sealing patterns of various hand sizes from laminated sheets of EVOH sealed between layers of polyethylene.

#### **Respiratory protection**

#### **Respiratory protection:**

In case of inadequate ventilation and exposure limits are exceeded or if irritation or other symptoms are experienced, use a NIOSH/MSHA or European Standard EN149 approved respirator (with activated carbon layer for organic vapour).

#### **Environmental exposure controls**

Environmental exposure controls:

Avoid release to the environment.

## Other information:

Wash hands immediately after handling the product. And wash it before reuse. Do not eat, drink or smoke during work.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

1.7	
Physical state	: Liquid
Colour	: Magenta.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: No data available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: >70 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Soluble in water with difficulty.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: 0.9 – 1.1
Relative vapour density at 20°C	: >1
Particle characteristics	: Not applicable
9.2. Other information	
Other safety characteristics	
SAPT	: > 50 °C
VOC content	: 16 g/l



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** 

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions.

**10.5. Incompatible materials** 

No additional information available

**10.6. Hazardous decomposition products** 

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

SECTION 11: Toxicological info	ormation
11.1. Information on hazard classe	s as defined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Harmful if swallowed.</li> <li>Not classified (Based on available data, the classification criteria are not met).</li> <li>Inhalation:dust,mist: Harmful if inhaled.</li> </ul>
2-Propenoic acid, 2-methoxyethyl	ester
LD50 oral rat	404 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 343,4 - 464,6
LD50 dermal	252.5 mg/kg
N-VINYL CAPROLACTAM	· · · · · · · · · · · · · · · · · · ·
LD50 oral rat	1114 mg/kg Source: ECHA
LD50 dermal rabbit	1700 mg/kg Source: ECHA
Skin corrosion/irritation	: Causes severe skin burns. pH: Not available
Serious eye damage/irritation	: Causes serious eye damage. pH: Not available
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: IARC evaluated printing ink as a Group3(Not classifiable as to carcinogenicity to humans).
Reproductive toxicity	: May damage fertility or the unborn child.
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

11/27/2024 (Issue date)

10/17



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

**11.2. Information on other hazards** 

No additional information available

# **SECTION 12: Ecological information**

12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, shortterm (acute) Hazardous to the aquatic environment, longterm (chronic)	<ul> <li>Very toxic to aquatic life with long lasting effects.</li> <li>Not classified (Based on available data, the classification criteria are not met)</li> <li>Very toxic to aquatic life with long lasting effects.</li> </ul>
12.2. Persistence and degradability	

ECO-UV, EUV-MG Ver.2

Persistence and degradability

No data available.

# 12.3. Bioaccumulative potential

#### No additional information available

12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		

No additional information available

12.7. Other adverse effects

No additional information available

# SECTION 13: Disposal considerations 13.1. Waste treatment methods Regional waste regulation Signosal must be done according to official regulations. Waste treatment methods : Disposal must be done according to official regulations. Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations. Additional information : Disposal must be done according to official regulations. European List of Waste (LoW, EC 2000/532) : 08 03 12\* - waste ink containing dangerous substances

# SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber			
UN 1760	UN 1760	UN 1760	UN 1760	UN 1760
I4.2. UN proper shipping	g name	11		
CORROSIVE LIQUID, N.O.S.	CORROSIVE LIQUID, N.O.S. (2-Methoxy acrylate)	Corrosive liquid, n.o.s. (2- Methoxy acrylate)	CORROSIVE LIQUID, N.O.S.	CORROSIVE LIQUID, N.O.S.
Fransport document descri	iption	· · · · · · · · · · · · · · · · · · ·		
UN 1760 CORROSIVE LIQUID, N.O.S., 8, III, (E), ENVIRONMENTALLY HAZARDOUS	UN 1760 CORROSIVE LIQUID, N.O.S. (2-Methoxy acrylate), 8, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1760 Corrosive liquid, n.o.s. (2-Methoxy acrylate), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1760 CORROSIVE LIQUID, N.O.S., 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1760 CORROSIVE LIQUID, N.O.S., 8, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard c	lass(es)	· · · · · · · · · · · · · · · · · · ·		
8	8	8	8	8
				B
14.4. Packing group				
III	III	III	III	Ш
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available	I I		
4.6. Special precautions	s for user			
Dverland transport Classification code (ADR) Special provisions (ADR) imited quantities (ADR) Excepted quantities (ADR) Packing instructions (ADR) Packing provisions (ADR) Alixed packing provisions (ADR) Portable tank and bulk contair ADR) Fank code (ADR) /ehicle for tank carriage Fransport category (ADR) Special provisions for carriage	R) : MF ner instructions (ADR) : T7 ner special provisions : TP : L4I : AT : 3	4 01, IBC03, LP01, R001 19 1, TP28 BN		

11/27/2024 (Issue date)



# Safety Data Sheet

Orange plates	80	
	1760	
Tunnel restriction code (ADR)	: E	
EAC code	: 2X	
Transport by sea		
Special provisions (IMDG)	: 223, 274	
Limited quantities (IMDG)	: 5L	
Excepted quantities (IMDG)	: E1	
Packing instructions (IMDG)	: P001, LP01	
IBC packing instructions (IMDG)	: IBC03	
Tank instructions (IMDG)	: T7	
Tank special provisions (IMDG)	: TP1, TP28	
Stowage category (IMDG)	: A	
Stowage and handling (IMDG)	: SW2	
Properties and observations (IMDG)	: Causes burns to skin, eyes and mucous membranes.	
Air transport	. 54	
PCA Excepted quantities (IATA)	: E1	
PCA Limited quantities (IATA)	: Y841	
PCA limited quantity max net quantity (IATA)	: 1L	
PCA packing instructions (IATA)	: 852	
PCA max net quantity (IATA) CAO packing instructions (IATA)	: 5L : 856	
	: 60L	
CAO max net quantity (IATA)		
Special provisions (IATA) ERG code (IATA)	: A3, A803 : 8L	
	. OL	
Inland waterway transport		
Classification code (ADN)	: C9	
Special provisions (ADN)	: 274	
Limited quantities (ADN)	: 5L	
Excepted quantities (ADN)	: E1	
Carriage permitted (ADN)	: T	
Equipment required (ADN)	: PP, EP	
Number of blue cones/lights (ADN)	: 0	
Rail transport		
Classification code (RID)	: C9	
Special provisions (RID)	: 274	
Limited quantities (RID)	: 5L	
Excepted quantities (RID)	: E1	
Packing instructions (RID)	: P001, IBC03, LP01, R001	
Mixed packing provisions (RID)	: MP19	
Portable tank and bulk container instructions (RID)	: T7	
Portable tank and bulk container special provisions	: TP1, TP28	
(RID)		
Tank codes for RID tanks (RID)	: L4BN	
Transport category (RID)	: 3	
Special provisions for carriage – Packages (RID)	: W12	
Colis express (express parcels) (RID)	: CE8	



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard identification number (RID)

: 80

#### 14.7. Maritime transport in bulk according to IMO instruments

#### Not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains substance(s) listed on the REACH Candidate List in concentrations  $\geq 0.1$  % or SCL: Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-(EC 278-355-8, CAS 75980-60-8)

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### VOC Directive (2004/42)

VOC content : 16 g/l

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate



# Safety Data Sheet

Abbreviations and acronyms:		
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	



# Safety Data Sheet

Full text of H- and EUH	I-statements:
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
EUH071	Corrosive to the respiratory tract.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H360	May damage fertility or the unborn child.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1



# Safety Data Sheet

#### according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

RDG Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.