

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 11/27/2024 Version: 7.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : ECO-UV, EUV-BK Ver.2
UFI : KEQE-VWS6-FDKN-WD7U

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Main use category : Professional use Function or use category : Inkjet Printing ink

#### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Roland DG Corporation 1-1-2 Shinmiyakoda, Hamana-ku,

Hamamatsu-shi, Shizuoka-ken, 431-2103 Japan

〒431-2103

T+81-53-484-1200

## Supplier

Roland DG EMEA N.V.

Bell Telephonelaan 2G, 2440 Geel, Belgium

T +32 (0) 14 57 59 11

deu-demand-planning@rolanddg.com

#### 1.4. Emergency telephone number

Country/Area	Organisation/Company	Emergency number	Comment
Ireland	Poisons Information Centre of Ireland	+353 18 37 99 64 (medical professionals) +353 18 09 21 66 (public)	
Malta	Malta Competition and Consumer Affairs Authority (MCCAA)	+356 2395 2000 1774 helpline for accidental poisoning	
United Kingdom	Emergency number England	999 NHS 111	or call a doctor

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Acute toxicity (inhalation:dust,mist) Category 4 H332
Skin corrosion/irritation, Category 1, Sub-Category 1C H314
Serious eye damage/eye irritation, Category 1 H318
Skin sensitisation, Category 1 H317
Germ cell mutagenicity, Category 2 H341
Reproductive toxicity, Category 1B H360
Specific target organ toxicity – Repeated exposure, Category 1 H372



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment - Chronic Hazard,

H410

Category 1

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

Suspected of causing genetic defects. May damage fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Harmful if inhaled. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)

GHS07





**GHS05** 

: Danger

Signal word (CLP)

Contains : 2-Propenoic acid, phenylmethyl ester; 2-Propenoic acid, 2-methoxyethyl ester; 2-Propenoic acid, 1,6-hexanediyl ester; N-VINYL CAPROLACTAM; 2-Propenoic acid, (1R,2R,4R)-1,7,7-

trimethylbicyclo[2.2.1]hept-2-yl ester, rel-; Phosphine oxide, diphenyl(2,4,6-

trimethylbenzoyl)-

Hazard statements (CLP) : H302+H332 - Harmful if swallowed or if inhaled.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H341 - Suspected of causing genetic defects.

H360 - May damage fertility or the unborn child.

H372 - Causes damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects. Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

Extra phrases : Restricted to professional users.

For professional users only.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-Propenoic acid, 2-methoxyethyl ester	CAS-No.: 3121-61-7 EC-No.: 221-499-3 EC Index-No.: 607-744-00-0 REACH-no: 01-2119962915- 25	20 – 24	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 (ATE=401 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=2.7 mg/l/4h) Acute Tox. 3 (Inhalation:vapour), H331 (ATE=2.7 mg/l/4h) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360FD EUH071
2-Propenoic acid, phenylmethyl ester	CAS-No.: 2495-35-4 EC-No.: 219-673-9 REACH-no: 01-2120772339-	10 – 20	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
2-Propenoic acid, 1,6-hexanediyl ester	CAS-No.: 13048-33-4 EC-No.: 235-921-9 EC Index-No.: 607-109-00-8 REACH-no: 01-2119484737- 22	10 – 20	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
N-VINYL CAPROLACTAM	CAS-No.: 2235-00-9 EC-No.: 218-787-6 REACH-no: 01-2119977109- 27	10 – 20	Acute Tox. 4 (Oral), H302 (ATE=1114 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1700 mg/kg bodyweight) Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT RE 1, H372
Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-substance listed as REACH Candidate	CAS-No.: 75980-60-8 EC-No.: 278-355-8 EC Index-No.: 015-203-00-X REACH-no: 01-2119972295-	5 – 15	Skin Sens. 1, H317 Repr. 1B, H360
2-Propenoic acid, (1R,2R,4R)-1,7,7- trimethylbicyclo[2.2.1]hept-2-yl ester, rel-	CAS-No.: 5888-33-5 EC-No.: 227-561-6 EC Index-No.: 607-756-00-6 REACH-no: 01-2119957862- 25	1 – 10	Skin Sens. 1A, H317
Additives	-	1 – 5	Not classified



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Carbon Black	CAS-No.: 1333-86-4 EC-No.: 215-609-9 REACH-no: 01-2119969946- 13	1 – 5	Not classified

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

First-aid measures for first aider : First aid workers will be equipped with suitable personal protective equipment.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Burns. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

Chronic symptoms : May damage fertility or the unborn child.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Symptoms/effects after skin contact

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

11/27/2024 (Issue date) EU - en 4/17



## Safety Data Sheet

Protection during firefighting

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

: Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Only qualified personnel equipped with suitable protective equipment may intervene. Do not **Emergency procedures** 

breathe dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

**Emergency procedures** : Evacuate unnecessary personnel. Stop leak if safe to do so.

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry

into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up Take up liquid spill into absorbent material.

Other information Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Wear personal protective equipment. Do not breathe

dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Avoid

contact with skin and eyes.

Separate working clothes from town clothes. Launder separately. Wash contaminated Hygiene measures

> clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after

handling the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store locked up.

Packaging materials : Store always product in container of same material as original container.

## 7.3. Specific end use(s)

Inkjet Printing ink.

11/27/2024 (Issue date) EU - en 5/17



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

## **DNEL and PNEC**

2-Propenoic acid, 2-methoxyethyl ester (3121-61-7)			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	0.042 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	0.12 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	0.017 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	0.029 mg/m³		
Long-term - systemic effects, dermal	0.021 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	0.0019 mg/l		
PNEC aqua (marine water)	0.00019 mg/l		
PNEC aqua (intermittent, freshwater)	0.045 mg/l		
PNEC (Sediment)			
PNEC sediment (freshwater)	0.0104 mg/kg dwt		
PNEC sediment (marine water)	0.001 mg/kg dwt		
PNEC (Soil)			
PNEC soil	0.0049 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	10 mg/l		
2-Propenoic acid, 1,6-hexanediyl ester (13048-33-4)			
DNEL/DMEL (Workers)	DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	2.77 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	24.5 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	2.1 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	7.2 mg/m³		
Long-term - systemic effects, dermal	1.66 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	0.00723 mg/l		
PNEC aqua (marine water)	0.000723 mg/l		



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Propenoic acid, 1,6-hexanediyl ester (13048-33-4)		
PNEC (Sediment)		
PNEC sediment (freshwater)	0.493 mg/kg dwt	
PNEC sediment (marine water)	0.0493 mg/kg dwt	
PNEC (Soil)		
PNEC soil	0.094 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	2.7 mg/l	
N-VINYL CAPROLACTAM (2235-00-9)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	0.7 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	4.9 mg/m³	
Long-term - local effects, inhalation	0.17 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.4 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1.04 mg/m³	
Long-term - systemic effects, dermal	0.42 mg/kg bodyweight/day	
Long-term - local effects, inhalation	0.04 mg/m³	
2-Propenoic acid, (1R,2R,4R)-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, rel- (5888-33-5)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	1.39 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	4.9 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.83 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1.45 mg/m³	
Long-term - systemic effects, dermal	0.83 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.00092 mg/l	
PNEC aqua (marine water)	0.000092 mg/l	
PNEC aqua (intermittent, freshwater)	0.00704 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.145 mg/kg dwt	
PNEC sediment (marine water)	0.0145 mg/kg dwt	



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2-Propenoic acid, (1R,2R,4R)-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl ester, rel- (5888-33-5)		
PNEC (Soil)		
PNEC soil	0.0285 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	2 mg/l	
Phosphine oxide, diphenyl(2,4,6-trimethylben	zoyl)- (75980-60-8)	
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	0.233 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0.822 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	83.3 μg/kg bodyweight/day	
Long-term - systemic effects, inhalation	0.145 mg/m³	
Long-term - systemic effects, dermal	83.3 μg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	1.4 μg/l	
PNEC aqua (marine water)	0.14 μg/l	
PNEC aqua (intermittent, freshwater)	14 μg/l	
PNEC aqua (intermittent, marine water)	1.4 μg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0.115 mg/kg dwt	
PNEC sediment (marine water)	11.5 μg/kg dw	
PNEC (Soil)		
PNEC soil	22.2 μg/kg dw	

## 8.2. Exposure controls

## **Appropriate engineering controls**

## Appropriate engineering controls:

Ensure good ventilation of the work station.

#### **Personal protection equipment**

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Eye and face protection

#### Eye protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear EN166 approved safety glasses or chemical splash goggles.



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Skin protection

#### Skin and body protection:

Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.

#### Hand protection:

Employee must wear appropriate protective impervious gloves to prevent contact with the ink. Recommended Chemical Protective Gloves are EN420/374 approved ethylene vinyl alcohol (EVOH) Gloves and Laminate gloves. Laminate gloves are made by cutting and then heat-sealing patterns of various hand sizes from laminated sheets of EVOH sealed between layers of polyethylene.

#### **Respiratory protection**

#### Respiratory protection:

In case of inadequate ventilation and exposure limits are exceeded or if irritation or other symptoms are experienced, use a NIOSH/MSHA or European Standard EN149 approved respirator (with activated carbon layer for organic vapour).

#### **Environmental exposure controls**

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Wash hands immediately after handling the product. And wash it before reuse. Do not eat, drink or smoke during work.

: Not available

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour : Black Odour : characteristic. Odour threshold : Not available Melting point : Not applicable Freezing point : Not available Boiling point : Not available Flammability : No data available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 70 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available рΗ

Solubility : Soluble in water with difficulty.

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 0.9 – 1.1 Relative vapour density at 20°C : > 1

Particle characteristics : Not applicable

#### 9.2. Other information

Viscosity, kinematic

#### Other safety characteristics

SAPT : > 50 °C VOC content : > 60 g/l



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions.

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

: Harmful if swallowed. Acute toxicity (oral)

: Not classified (Based on available data, the classification criteria are not met). Acute toxicity (dermal)

Acute toxicity (inhalation)	: Inhalation:dust,mist: Harmful if inhaled.
2-Propenoic acid, 2-methoxyethyl ester	
LD50 oral rat	404 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicit 95% CL: 343,4 - 464,6
LD50 dermal	252.5 mg/kg
N-VINYL CAPROLACTAM	
LD50 oral rat	1114 mg/kg Source: ECHA
LD50 dermal rabbit	1700 mg/kg Source: ECHA
Skin corrosion/irritation	: Causes severe skin burns. pH: Not available
Serious eye damage/irritation	: Causes serious eye damage. pH: Not available
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: IARC evaluated printing ink as a Group3(Not classifiable as to carcinogenicity to human
Carbon Black (1333-86-4)	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: May damage fertility or the unborn child.
11/27/2024 (Issue date)	EU - en



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

## 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified (Based on available data, the classification criteria are not met)

(acute)

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

(chronic)

#### 12.2. Persistence and degradability

#### ECO-UV, EUV-BK Ver.2

Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations : Disposal must be done according to official regulations. Product/Packaging disposal recommendations : Disposal must be done according to official regulations.

Additional information : Do not re-use empty containers.

European List of Waste (LoW, EC 2000/532) : 08 03 12\* - waste ink containing dangerous substances



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1760	UN 1760	UN 1760	UN 1760	UN 1760
14.2. UN proper shippin	g name			
CORROSIVE LIQUID, N.O.S.	CORROSIVE LIQUID, N.O.S. (2-Methoxy acrylate)	Corrosive liquid, n.o.s. (2- Methoxy acrylate)	CORROSIVE LIQUID, N.O.S.	CORROSIVE LIQUID, N.O.S.
Transport document descr	iption			
UN 1760 CORROSIVE LIQUID, N.O.S., 8, III, (E), ENVIRONMENTALLY HAZARDOUS	UN 1760 CORROSIVE LIQUID, N.O.S. (2-Methoxy acrylate), 8, III, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 1760 Corrosive liquid, n.o.s. (2-Methoxy acrylate), 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1760 CORROSIVE LIQUID, N.O.S., 8, III, ENVIRONMENTALLY HAZARDOUS	UN 1760 CORROSIVE LIQUID, N.O.S., 8, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o	class(es)			
8	8	8	8	8
8	12			8
14.4. Packing group				
III	III	III	III	III
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information	n available			

## 14.6. Special precautions for user

## Overland transport

Classification code (ADR) : C9
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T7
Portable tank and bulk container special provisions : TP1, TP28

(ADR)

Tank code (ADR) : L4BN

11/27/2024 (Issue date) EU - en 12/17



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Hazard identification number (Kemler No.) : 80

Orange plates :

80 1760

Tunnel restriction code (ADR) : E EAC code : 2X

#### Transport by sea

: 223, 274 Special provisions (IMDG) Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 : T7 Tank instructions (IMDG) : TP1, TP28 Tank special provisions (IMDG) Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

#### Air transport

PCA Excepted quantities (IATA) : E1 : Y841 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 PCA max net quantity (IATA) : 5L CAO packing instructions (IATA) : 856 CAO max net quantity (IATA) : 60L A3, A803 Special provisions (IATA) ERG code (IATA) : 8L

#### **Inland waterway transport**

Classification code (ADN) : C9
Special provisions (ADN) : 274
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID): C9Special provisions (RID): 274Limited quantities (RID): 5LExcepted quantities (RID): E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T7
Portable tank and bulk container special provisions : TP1, TP28

(RID)



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: Phosphine oxide, diphenyl(2,4,6-trimethylbenzoyl)-(EC 278-355-8, CAS 75980-60-8)

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Dual-Use Regulation (428/2009)**

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

#### VOC Directive (2004/42)

VOC content : 16 g/l

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

# Abbreviations and acronyms: ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acr	onyms:
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
ED	Endocrine disruptor

Full text of H- and EUH-statements:		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 3	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
EUH071	Corrosive to the respiratory tract.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H332	Harmful if inhaled.	
H341	Suspected of causing genetic defects.	
H360	May damage fertility or the unborn child.	
H360FD	May damage fertility. May damage the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H410	Very toxic to aquatic life with long lasting effects.	
Muta. 2	Germ cell mutagenicity, Category 2	
Repr. 1B	Reproductive toxicity, Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	



## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 1 Specific target organ toxicity – Repeated exposure, Category 1	

RDG Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.